SYMPTOM SURVEY FORM

(Restricted to Professional Use)

PATIENT		. DC	OCTOR			DATE		
INSTRUCTIONS: Number the boxes which apply to you. Use (1) for MILD symptoms (occur once or twice a year), (2) for MODERATE symptoms (occur several times a year), and (3) for SEVERE symptoms (you are aware of it almost constantly).								
<u> </u>								
Acid foods upset Get chilled, often C'Lump'' in throat Dry mouth-eyes-nose Pulse speeds after meal	8 9 10 11 12		GROUP ONE Gag easily Unable to relax; startles easily Extremities cold, clammy Strong light irritates Urine amount reduced	15 16 17 18 19		Appetite reduced Cold sweats often Fever easily raised Neuralgia-like pains Staring, blinks little		
6 Keyed up — fail to calm 7 Cuts heal slowly	13 14		Heart pounds after retiring "Nervous" stomach	20		Sour stomach frequent		
GROUP TWO								
Joint stiffness after arising Muscle-leg-toe cramps at night "Butterfly" stomach, cramps Eyes or nose watery Eyes blink often Eyelids swollen, puffy Indigestion soon after meals Always seems hungry; feels "lightheaded" often	29 t 30 31 32 33 34 35 36		Digestion rapid Vomiting frequent Hoarseness frequent Breathing irregular Pulse slow; feels "irregular" Gagging reflex slow Difficulty swallowing Constipation, diarrhea alternating	37 38 39 40 41		"Slow starter" Get "chilled" infrequently Perspire easily Circulation poor, sensitive to cold Subject to colds, asthma, bronchitis		
		(GROUP THREE					
Eat when nervous Excessive appetite Hungry between meals Irritable before meals Get "shaky" if hungry Fatigue, eating relieves "Lightheaded" if meals delayed	50 51 52		Heart palpitates if meals missed or delayed Afternoon headaches Overeating sweets upsets Awaken after few hours sleep — hard to get back to sleep	53 54 55		Crave candy or coffee in afternoons Moods of depression — "blues" or melancholy Abnormal craving for sweets or snacks		
_			GROUP FOUR					
56 Hands and feet go to sleep easily, numbness 57 Sigh frequently, "air hunger"	63 64 65		Get "drowsy" often Swollen ankles worse at night Muscle cramps, worse	68 69 70		Bruise easily, "black and blue" spots Tendency to anemia "Nose bleeds" frequent		
58 Aware of "breathing heavily" 59 High altitude discomfort 60 Opens windows in	66		during exercise; get "charley horses" Shortness of breath on exertion	71 72		Noises in head, or "ringing in ears" Tension under the breastbone, or feeling		
closed room 61 Susceptible to colds and fevers	67		Dull pain in chest or radiating into left arm, worse on exertion		٩	of "tightness", worse on exertion		
62 🔲 Afternoon "yawner"								

SYMPTOM SURVEY FORM - Page 2

	GROUP FIVE	•
73 Dizziness 74 Dry skin 75 Burning feet 76 Blurred vision 77 Itching skin and feet 78 Excessive falling hair 79 frequent skin rashes 80 Bitter, metallic taste in mouth in mornings 81 Bowel movements painful or difficult 82 Worrier, feels insecure	83 Feeling queasy; headache over eyes 84 Greasy foods upset 85 Stools light-colored 86 Skin peels on foot soles 87 Pain between shoulder blades 88 Use laxatives 89 Stools alternate from soft to watery 90 History of gallbladder attacks or gallstones	91 Sneezing attacks 92 Dreaming, nightmare type bad dreams 93 Bad breath (halitosis) 94 Milk products cause distress 95 Sensitive to hot weather 96 Burning or itching anus 97 Crave sweets
98 Loss of taste for meat 99 Lower bowel gas several hours after eating 100 Burning stomach sensations, eating relieves	GROUP SIX 101 Coated tongue 102 Pass large amounts of foul-smelling gas 103 Indigestion 1/2 - 1 hour afte eating; may be up to 3-4 hrs	· · · · · · · · · · · · · · · · · · ·
(A) 107	(C) 137 Failing memory 138 Low blood pressure 139 Increased sex drive 140 Headaches, "splitting or rending" type 141 Decreased sugar tolerance (D) 142 Abnormal thirst 143 Bloating of abdomen 144 Weight gain around hips or waist 145 Sex drive reduced or lacking 146 Tendency to ulcers, colitis 147 Increased sugar tolerance 148 Women: menstrual disorders	(E) 150 Dizziness 151 Headaches 152 Hot flashes 153 Increased blood pressure 154 Hair growth on face or body (female) 155 Sugar in urine (not diabetes) Masculine tendencies (female) (F) 157 Weakness, dizziness 158 Chronic fatigue 159 Low blood pressure 160 Nails weak, ridged 161 Tendency to hives 162 Arthritic tendencies 163 Perspiration increase 164 Bowel disorders 165 Poor circulation 166 Swollen ankles 167 Crave salt
129 Constipation 130 Mental sluggishness 131 Hair coarse, falls out 132 Headaches upon arising wear off during day 133 Slow pulse, below 65 134 Frequency of urination 135 Impaired hearing 136 Reduced initiative	149 Young girls: lack of menstrual function	168 Brown spots or bronzing of skin 169 Allergies - tendency to asthma 170 Weakness after colds, influenza 171 Exhaustion - muscular and nervous 172 Respiratory disorders

SYMPTOM SURVEY FORM - Page 3

FEMALE (DNLY				
173 Very easily fatigued	181 Hysterectomy/ovaries	MALE ONLY			
174 Premenstrual tension 175 Painful menses	removed	186 Prostate trouble			
176 Depressed feelings	182 Menopausal hot flashes				
before menstruation	183 Menses scanty or	187 Urination difficult or dribbling			
177 Menstruation excessive	missed	188 Night urination			
and prolonged	184 Acne, worse at	frequent			
178 Painful breasts 179 Menstruate too frequently	menses 185 Depression of	189 Depression			
180 Vaginal discharge	long standing	190 Pain on inside of			
: •		legs or heels 191 Feeling of incomplete			
IMPOR	bowel evacuation				
	192 Lack of energy				
TO THE PATIENT: Please list below the five mair have in order of their importance;	n physical complaints you	193 Migrating aches and pains			
1.		194 Tire too easily			
2.		195 Avoids activity			
3.		196 Leg nervousness			
4		at night			
5		197 Diminished sex drive			
J					
Postural Blood Pressure: Recumbent Hema-Combistix Urine readings: pH					
	Occult Blood pH of Saliva pH of Stool specimens				
Hemoglobin Blood Clo					
RECOMMENDATIONS AND SUMM					
1					
,					
2,					
3.					
3					
3					
4,					
3.4.5.					
3. 4, 5. 6. 7.		·			
3. 4. 5. 6.		"			

CASE RECORD